Date: 12/07/00

STATEMENT OF WORK (SOW)
For the Repair of the
L-3120 Microsequencer CCA
NSN: 5998-01-325-1005
P/N: 247696-100; CAGE: 13973

SOM-02-844-1-8E000B-2/2

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the L-3120 Microsequencer CCA; NSN 5998-01-325-1005; P/N 247696-100; CAGE 13973.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

GYSGT R. WRIGHT

Equipment Specialist Data Systems Section

(Code 844-1)

MCLB, Albany GA

STEPHANIE BYRD

Inventory Manager
Data Systems Section

(Code 844-1)

MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)) 4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

STATEMENT OF WORK FOR THE Inspect Repair Only As Necessary (IROAN) of L-3120 Microsequencer CCA (5998-01-325-1005) P/N: 247696-100; CAGE: 13973

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the L-3120 Microsequencer CCA, 5998-01-325-1005; hereafter referred to as the L-3120 MICROSEQUENCER CCA. The L-3120 MICROSEQUENCER CCA, Drawing Number 247696, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM), AN/TYQ-23(V)1. This document contains requirements to restore the L-3120 MICROSEQUENCER CCA to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

- **1.1** <u>Background</u>: IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

247696 Parts List, L-3120 Microsequencer CCA

247696-720 Test Specifications

247696-750 Test Procedures

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel from the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- **3.1** General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the L-3120 MICROSEQUENCER CCA. Upon completion of repairing the subject item it shall be Condition Code "A".
- **3.2** <u>Detail Tasks</u>: The following tasks describe the different phases for repair of the L-3120 MICROSEQUENCER CCA:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each L-3120 MICROSEQUENCER CCA within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Bases (844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II (Repair): After pre-induction tests and inspections have been completed, repair of the L-3120 MICROSEQUENCER CCA shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

247696 Parts List, L-3120 Microsequencer CCA

247696-720 Test Specifications 247696-750 Test Procedures

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the L-3120 MICROSEQUENCER CCA shall be conducted in accordance with the documents and TM listed in paragraph 3.2.2.b and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment and immediate use shall be to level B requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast pack container.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Contractor has GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- **3.4** Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- **3.5** Electrostatic Discharge (ESD) Control Program: The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- **3.6 Quality Assurance Provisions:** The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The

Government (MCLBA/Code 844-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- **3.7** Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (Code 844-1) representatives shall be permitted to observe the work or to conduct an inspection.
- **3.8** Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- **3.9 Configuration Control:** The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- **4.0** Reports: All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- **4.1** <u>Pre-Induction Checklist</u>: The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each L-3120 MICROSEQUENCER CCA repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, within 30 days after final acceptance of the L-3120 MICROSEQUENCER CCA.
- **4.2** <u>Test/Inspection Report</u>: The Contractor shall provide a Test/Inspection for each L-3120 MICROSEQUENCER CCA.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each L-3120 MICROSEQUENCER CCA. The report shall be identified by United States Marine Corps Serial Number.
- **4.4 Monthly Progress Report:** The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the L-3120 MICROSEQUENCER CCA Program.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

VATA UNIT OF ISSUE (b)	Sb. ?	ROM: (Name and Addr NUMBER AND DATE QUANTITY RECEIVED	OF INVOICE	5c TRANSPO			
UNIT OF ISSUE	OUANTITY SHIPPED' BILLED	QUANTITY	10.	(GBL, Wa 8. REQUISITIONE ac.)	yhill, TCN, etc.) ER'S NUMBER (F		
UNIT OF ISSUE	OUANTITY SHIPPED' BILLED	QUANTITY	10.	(GBL, Wa 8. REQUISITIONE ac.)	yhill, TCN, etc.) ER'S NUMBER (F		
UNIT OF ISSUE	QUANTITY SHIPPED: BILLED		10.	etc.)		Requisition, Pu	rchase Request
UNIT OF ISSUE	SHIPPED: BILLED		10.		NCV DATA		
UNIT OF ISSUE	SHIPPED: BILLED			DISCREPA	NCV DATA		
OF ISSUE	SHIPPED: BILLED		QUAN-				11
		1	TITY	UNIT PRICE	TOTAL COST	CODE	_
		(d)	(a)	(b)	(c)	(d)	
			1			<u> </u>	
CODES					2 ACTION	N CODES	
ODUCT Q							
HORTAGE \$1 - Quantity \$2 - Quantity \$3 - Non-rec EM TECHY \$8 - Operatin \$1 - Missing \$12 - Illegible \$13 - Precautit \$14 - Inspecti \$15 - Service \$16 - Warrant \$RONG ITE \$18 - VID - VID - VID \$17 - VID - VID \$18 - VID \$18 - VID \$19 - VID \$10 - VI	OF MATERIAL y less than that on r y less than that requ leipt of parcel post s NICAL DATA MA ag Handhooks. Spec c or Mutilated tionary operational on data missing or ability operating da ty data missing M (Identify request cet item received eptable substitute TREPANCIES granks	eccipt document ested (Other than unit shipments RKINGS (i.e., Name Fial Instructions, etc.) markings missing incomplete ta missing or incomplet	of issue pack) Plates, Log e	B - Materi C - Suppo D - Materi applicable to F 1E - Local expense unless are received wit applicable to F 1F - Replac FMS IG - Reship 1H - No act	al being retained (ring supply docum al still required, ex MS) burchase material th disposition instruct thin 15 days (Repl. MS) ement shipment re oment not required ion required. Info	See Remarks) nentation requipedite shipme to be returned tions to the co y our everse) (1 quested (Not to them to be re- trination only	ested nt (Not at supplier's nurury vot pplicable to
C E C S T D T T T T T T T T T T T T T T T T T	Q1 - Deficie HORTAGE S1 - Quantit; S2 - Quantit; S3 - Non-rec EM TECHI kks, Operatit T1 - Missing T2 - Hlegibli T3 - Precaut T4 - Inspecti T4 - Inspecti T6 - Warram (RONG ITE ve) W1 - Incorre W2 - Unacce THER DISC Z1 - See Ro	RODUCT QUALITY DEFICIE Q1 - Deficient material Applice Q1 - Deficient material Applice S1 - Quantity less than that on n S2 - Quantity less than that requ S3 - Non-receipt of parcel posts EM TECHNICAL DATA MA oks, Operating Handhooks, Spec T1 - Missing T2 - Illegible or Mutilated T3 - Precauttionary operational T4 - Inspection data missing or T5 - Serviceability operating da T6 - Warranty data missing /RONG ITEM (Identify request	RODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and F HORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit. S3 - Non-receipt of parcel post shipments S3 - Non-receipt of parcel post shipments FEM TECHNICAL DATA MARKINGS (i.e., Name F ids. Operating Handhooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing vincomplete T5 - Serviceability operating data missing or incomplet T6 - Warranty data missing RONG ITEM (Identify requested item as a separate conce) W1 - Incorrect item received W2 - Unacceptable substitute THER DISCREPANCIES Z1 - See Remarks	RODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and FMS shipments) HORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments EM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log liks, Operating Handhooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautitionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing (RONG ITEM (Identify requested item as a separate copy in Item 9 we) W1 - Incorrect item received W2 - Unacceptable substitute THER DISCREPANCIES Z1 - See Remarks	QI - Deficient material (Applicable to Grant Aid and FMS shipments) HORTAGE OF MATERIAL SI - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments BA - Disposition of the parcel post shipments FEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log loks, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precauttionary operational markings missing T4 - Inspection data missing or incomplete T6 - Warranty data missing or incomplete T6 - Warranty data missing data missing or incomplete T6 - Warranty data missing WI - Incorrect item received W2 - Unacceptable substitute THER DISCREPANCIES Z1 - See Remarks	RODUCT QUALITY DEFICIENCIES Q1 - Deficient material Applicable to Grant Aid and FMS shipments) HORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments IEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log loks, Operating Handhooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautitionary operational markings missing T4 - Inspection data missing via incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing RONG ITEM (Identify requested item as a separate copy in Item 9 we) W1 - Incorrect item received W2 - Unacceptable substitute THER DISCREPANCIES Z1 - See Remarks	QI - Deficient material Applicable to Grant Aid and FMS shipments) HORTAGE OF MATERIAL SI - Quantity less than that or receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments FEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log loks, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautitionary operational markings missing T4 - Inspection data missing or incomplete T6 - Warranty data missing RONG ITEM (Identify requested item as a separate copy in Item 9 are) WI - Incorrect item received W2 - Unacceptable substitute THER DISCREPANCIES Z1 - See Remarks

7540 00 159 4442 (Previous edition is obsolete) STANDAI

364-103

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101-20.0

10 FROM		17 DISTRIBUTION ADDRESSES FOR DISTRIBU	HON
19 IN ACCORDANC	E WITH NOTICE OF I	Use window er this document. address, includ starting one typi the left dot. Each NOT extend be Address must not space typi DISCREPANCY ON FACE OF THIS FOR	Insert Name and ling ZIP Code, ing space below address line must yond right dot, exceed four single ling lines.
a MATERIAL DOCUMENT NUMBER HAS WILL BEEN BE SHIPPED		NO RECORD OF SHIPMENT. RESUBM.	IT REPORT
c AN ADJUSTMENT IN BILLING CREDIT	DEBIT		PROOF OF
HAS BEENWILL BE PROCESSED	DEBIT		ELIVERY
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREE THE INDICATED REGULATION	PANCY WILL NOT BE PROC	ESSED FOR THE FOLLOWING REASON WHICH IS	CITED IN
(1) RÉASON FOR NOT PROCESSING (a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FR.	AMES ALLOWED	(2) PRESCRIBING REG (a) CHAPTER 5 OF THE GSA HANDBOOK	
AND/OR	AMILY ALLOWED	DISCREPANCIES OR DEFICIENCIES IN G DOD SHIPMENTS, MATERIALS, OR BILLI (FPMR 101 26 8)	SA OR
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBE OR AGREEMENT INDICATED IN 191(2)	ED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000 25 MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFF ACCEPTANCE, AS APPLICABLE	
		BE MADE OF THE REFERENCED MATERIAL	DAYS
a PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING	
c. RETAIN MATERIAL AT NO CHARGE	d MATERIAL WILL	BE PICKED UP IN-	DAYS
E SHIP MATERIAL Specify location)			
(1) GBL APPROPRIATION CHARGEABLE			
(2) CHARGES COLLECT - VIA FREIGHT	EXPRESS	PARCEL POST	to a superior
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PREI	PAID	
OTHER (Specify)			
21 IF MATERIAL IS STILL REQUIRED. SUBMIT NEW REQUISITION	22 REPLACEMENT W	ITH SATISFACTORY MATERIAL N/OR BEFORE	DATE
23 REMARKS (Continue on separate sheet of paper if necessary)	 		
24a TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL.	24b SIGNATURE		Z4c DATE

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Heardwarters, Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no pressy shall be subject to any penalty for lating to comply with a collection of information if it does not display a currently valid CMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

				×	ATEGORY: DP TM OTHER		B. EXHIBIT	A. CONTRACT LINE ITEM NO.				
			-		TM OTHER	E. CONTRACT/PR	<u> </u>		D. SYSTEM/ITEM			
							CA	licrosequencer Co				
17, PRICE G					3. SUBTITLE			2. TITLE OF DATA ITEM	1. DATA ITEM NO.			
					ement Report	tatus, and Ma	ogress. S	Contractor's Pro	A001			
18. ESTIMA TOTAL P			· - ··-	6. REQUIRING OFFICE		5. CONTRACT REFEREN	-		4. AUTHORITY (Data Acquis			
IUIALP			(844)	MCLBA	OW 4.4			MGMT-80227	DI-			
				14. DISTRIBUTION	TE OF FIRST SUBMISSION See Blk 16	ry THLY	10. FREQUENC	9. DIST STATEMENT REQUIRED	7. DO 250 REG LT			
<u> </u>	al	b COPIES Fin		a. Addressee	TE OF SUBSEQUENT		11. AS OF DAT		8. APP CODE			
	«п Перга	Reg	Draft	a. ADBRESSEE	BMISSION See Blk 16	.•	,,,,,,	A				
	0	1	0	MCLBA (844-1)	D00 Bin 10		1	mat is authorized.	16. REMARKS Contractor for			
					mbs 10 2a 10 2b	wa. Dalata na						
					aphs 10.3g, 10.3h,	ws: Delete par	as lono	0.3k, and 10.3n.	10.3i, 10.3j, 1			
					business day of each							
					last business day of	e 10 days after	s shall be	quent submissions	Blk 13 - Subse			
									caen monui.			
		—— i			stribution is unlimited	public release	oved for	atement A: Appr	Distribution St			
		_										
			i									
		_ ·-										
	<u> </u>	,-										
	0	1	0	15. TOTAL								
		<u> </u>	J. DATI		I. APPROVED BY	H. DATE			G. PREPARED BY			
	اري	1,1	100	\mathcal{D}_{α}	to an ana			1. 1	1.10			
	151	///	101	N Laving	TIIINNI	12/11/0		XV JUTT	Yuax.			

-

(1 Data Item)

Form Approved OMB No. 0704 0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching axisting data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA. 22202-4302. Respondents should be aware that notwrithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. fisted in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		×						
D. SYSTEM/ITEM L-3120 M	ficrosequencer CO	 CA	E. CONTRACT/PR NO. F. CONTRAC							
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE					
B001		rable Ite	m Inspection l			e prompine errier				
4 AUTHORITY (Data Acquisi	tion Document No./ I-ILSS-80386		5. CONTRACT REFEREN	SOW 4.3		6. REQUIRING OFFICE MLCB.	A (844)			
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY 12. DATE OF FIRST SUBMISSION				14. DISTRIBUTION				
LT	REGUIRED	A	SREQ	See Blk 1			b. COPIES			
8. APP CODE	Α	11. AS UP DAT	submission See Blk 16			a. ADDRESSEE	Draft	Fir Reg	Repro	
16 REMARKS Contractor for	nat is authorized.			OCC DIK 1		MCLBA (844-1)	0	1	0	
Blk 10 - A sepa CCA repaired.	arate report shall	be submi	tted for each	L-3120 Microsequ	iencer					
=	Submit report by each L-3120 Micr	Marine osequenc	Corps Serial ler CCA.	Number 30 days a	fter			5		
	ts shall be provid					· · · · · · · · · · · · · · · · · · ·			 	
Distribution St	Distribution Statement A: Approved for public release, distribution is unlimited.									
2101110411011 01	accinem ii. Tippi	0,00	public release	, alburation is a						
						:	ļ			
						ļ				
						! L				
						-				
l.										
									-	
					· · · · · · · · · · · · · · · · · · ·	15. TOTAL	0	1	0	
G. PREPARED BY	7		H. DATE	I. APPROVED B			J. DAT	E	_	
Buch!	Awat		12/11/0	00 PY11	1105	c Dearing	121	///	00)	
DD FORM 1423	1, AUG 96 (EG)		PI	REVIOUS EDITION MAY BE			Page	of	Pages	

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202 4302, Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

D. SYSTEM/ITEM L-3120 Microsequencer CCA E. CONTRACT/PR NO. F. CONTRACTOR 1. DATA ITEM NO. 2. TITLE OF DATA ITEM B002 Test/Inspection Reports NonDestructive Testing and Inspection 4. AUTHORITY (Data Acquisition Document No.) DI-NDTI-80809B SOW 4.2 7. DD 250 REQ DD 9. DIST STATEMENY REDUIRED ASREQ 12. DATE OF FIRST SUBMISSION See BIX 16 D. COPIES	A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT		C. CATEGORY:	OTHER				·	
LEGISLATION 2 2. THE SET STATE OF THE STATE	D CVCTEM/ITEM			E CONTRACTION							
Test/Inspection Reports Test/Inspection Reports Test/Inspection Reports Test/Inspection Reports SOW 4.2 It states the description of the property of the		Aicrosequencer CO	CA	E. CUNTRACI/FR	NU.	r, com ma	101 BR				
A STREAM TO NOTE SO A SOURCE OF THE PROPERTY	1. DATA ITEM NO.	•				3. SUBTITLE			-		17. PRICE GROU
A STREAM TO NOTE SO A SOURCE OF THE PROPERTY						j					
DI NOTI 80800B SOW 4.2 IN AUTHORISE IN TRIBUTION IN TRI	B002	,	Test/Insp	ection Report	s	Non	Destructive Testing	and In	spection	on	
DI-NDTI-S0809B	4. AUTHORITY (Data Acquis	ition Document No.)		5. CONTRACT REFEREN		1	l.				18. ESTIMATED
DD #3984ED ASREQ 12.01.64 (2014) 1.001.64 (201	DI-	NDTI-80809B			SOW 4.2		MCLBA	(844))		TOTAL PRIC
A ASREQ SUBSTITUTE OF THE PROPERTY OF THE PROP	7. DD 250 REQ						14, DISTRIBUTION				
THE RIMMINGS A ASREQ STREET SCE BIX 16 MCLBA (844-1) 0 1 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 0 1 0 0 0 0 1 0						6		<u> </u>	b. COPIES		
IN SUMMANS Contractor format is authorized. Bik 12 - Submit test report within 30 days after completion of Production Acceptance Testing. DCMAO will review and provide comments to MCLBA within 30 days of receipt. MCLBA will provide acceptance/nonacceptance to the Contractor MCLBA will provide acceptance/nonacceptance to the Contractor receives approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARRO BY H. DATE I. APPROVED BY H. DATE J. APPROVED BY J. DATE	B. APP CODE				SUBMISSION		a. ADDRESSEE	i Craft	Fir	nal .	
Contractor format is authorized. Bik 12 - Submit test report within 30 days after completion of Production Acceptance Testing. DCMAO will review and provide comments to MCLBA within 30 days of receipt. MCLBA will provide acceptance/nonacceptance to the Contractor within 30 days after receipt of recommendations/comments from DCMAO. Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARID BY H. DATE I. APPROVED BY J. DATE J. J		A	Α	ASREQ	See Blk 1	6		ļ	Reg		
Bik 12 - Submit test report within 30 days after completion of Production Acceptance Testing, DCMAO will review and provide comments to MCLBA within 30 days of feecipt. MCLBA will provide acceptance to the Contractor within 30 days after receipt of recommendations/comments from DCMAO. Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE LAPPROVED BY J. DATE J. DATE H. DATE LAPPROVED BY J. DATE J.								1	1_		
Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE Hach J. AUGUST ACCOUNTS J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE J. DATE J. DATE J. DATE H. DATE J. DATE J								0	1	()	
Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE Hach J. AUGUST ACCOUNTS J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE J. DATE J. DATE J. DATE H. DATE J. DATE J	Blk 12 - Subm	it test report withi	in 30 day	s after comple	etion of Productjo	<u>n</u>					
Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE Hach J. AUGUST ACCOUNTS J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE J. DATE J. DATE J. DATE H. DATE J. DATE J	Acceptance Te	sting. DCMAO w of receipt MCU	ull reviev BA will r	w and provide provide accept	comments to MC	LBA ce to the					
Bik 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE Hach J. AUGUST ACCOUNTS J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE Hach J. AUGUST ACCOUNTS J. DATE J. DATE J. DATE J. DATE J. DATE H. DATE J. DATE J	Contractor wit	hin 30 days after	receipt of	f recommenda	tions/comments f	rom					
G. PREPARYD BY H. DATE 1. APPROVED BY 1. AP								 			
G. PREPARYD BY H. DATE 1. APPROVED BY 1. AP	Blk 13 - The C	Contractor shall in	corporate	e any Government	nent comments w	ith 30		 			
G. PREPARYD BY H. DATE 1. APPROVED BY 1. AP	receives appro	val from the Gove	ernment.	cic shall be le	peated until the C	omiacioi					
G. PREPARED BY H. DATE L. APPROVED BY J. DATE L. APPROVED BY L. J. DATE L. APPROVED BY J. D								<u> </u>		·	
Kich I twitt 12/11/00 Thomas Claiming 12-11-00	Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited.					
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00							/				
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00										_	
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								1			
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								1			1
Kich I twitt 12/11/00 Thomas Claiming 12-11-00										<u> </u>],
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											!
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								-			1
Kich I twitt 12/11/00 Thomas Claiming 12-11-00										-	ł
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								-	<u> </u>		1
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								 	ļ		-
Kich I twitt 12/11/00 Thomas Claiming 12-11-00										-	1
Kich I twitt 12/11/00 Thomas Claiming 12-11-00											
Kich I twitt 12/11/00 Thomas Claiming 12-11-00								!		-	1
Kich I twitt 12/11/00 Thomas Claiming 12-11-00							15. TOTAL	0	2	0	1
DD FORM 1423-1, AUG 96 (EC) 12/11/00 Hours Distribution MAY BE USED. Pageoi Pages	G. PREPARED BY			H. DATE	1. APPROVED E	Ϋ́				<u> </u>	1
DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED. Pageoi Pages	1/-11	2 4.2.	1	1 /			1)0	,_	,,	_	
DD FORM 1423-1, AUG 96 (£G) PREVIOUS EDITION MAY BE USED. Pageof Pages	Buch	XUSto)	<u> </u>		DU XMM	19	Learing	12	//-	<u> 20</u>]
Designed using Perform Pro. WHS/DIOR. Aug 96	DD FORM 1423	1, AUG 96 (É G)		Pf	REVIOUS EDITION MAY BE	USED.					

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED Total price

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Hourshout to Develope the Burden of Information of Information in In

A. CONTRACT LINE !	B. EXHIBIT	Ţ	C. CATEGORY:	OTHER.	×				
D CVCTEMUTEM			E. CONTRACT/PR	TDP TM	F. CONTRA				
D. SYSTEM/ITEM L-3120 M	licrosequencer Co	CA	E. CUNTRACI/PR	NU.	r. CUNTINA	Clun			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE	·			\dashv
C001		Request	For Deviation	1		Configuration Man	ageme	nt	
4. AUTHORITY (Data Acquisi			5. CONTRACT REFEREN		1	6. REQUIRING OFFICE	(0.5)		
	CMAN-80640C			SOW 3.9		MCLBA	(85,	L)	
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION			
LT		Į.	ASREQ	SEE BLK	10			b. COPIES	
8. APP CODE	A	11. AS OF DA	TE	13. DATE OF SUBSECUENT Submission		a. ADDRESSEE	Draft		nal !
16. RÉMARKS	Α	<u> </u>				MCLDA (OF1 O)	0	Reg	Repro
Blk 4 - Contrac	ctor format is auth	norized.				MCLBA (851-2)	U	— <u>ī</u> -	
Blks 10 & 12 - nonconforming documentation	RFDs shall be su material which o	ibmitted loes not i	to obtain auth- meet prescribe	orization to delive ed configuration	r				
RFDs will be receipt by the	eviewed and disp Government.	osition d	etermined with	hin 30 calendar da	ıys upon				
RFDs shall be mbmatcomcon	transmitted via E- figmngmnt@mate	-Mail to om.usmo	the following	address:					
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited				
									÷ {
									\vdash
									
									<u> </u>
									ļ .
									<u> </u>
									<u> </u>
									
									<u> </u>
						ļ	l <u>-</u>		; -
						- !			<u> </u>
						15. TOTAL	0	1	0
G. PREPARED BY			H. DATE	I. APPROVED B	Υ	10.101AL	J. DATI		
1-10	Jun 4	1	12/11	/ X		$\Omega_{\Lambda_{n}}$	17.	-1/.	$^{\checkmark}$
DD FORM	1 4110 00 /00	7	14111		uoy (Ularing	Page	11-	
DD FORM 1423-	1, AUG 96 (KG))		PI	REVIOUS EDITION MAY BE	USEU. (Designed u	Page sing Perform	of Pro, WHS/!	Pages DIOR, Aug 96